#### **SIMPLE TO VIEW AND DETERMINE**


#### Alarms

The CANAIRE control system uses dual alarm system with two levels of signals:

- ALARM ("RED" alarm)
- WARNING ("YELLOW" alarm)

When any RED alarm appears in system:


- Alarm icon SERVICE KEY shows on display.
- Alarm acoustic signal sounds long beep and then short beeps repeatedly.
- Arrange repair IMMEDIATELY.



Any RED alarm will switch HVAC unit to the VENTILATION mode with automatic blower speed. The driver can change the blower speed manually. The compressor and condenser fans are stopped.

When any YELLOW alarm appears in system:

- Warning TRIANGLE shows on display.
- Warning acoustic signal sounds (one long beep).
- Arrange repair as soon as possible.




Alarm codes are stored in the memory to identify possible fault conditions.

The alarm records can be displayed on the driver panel by press long of button **F** (3 s).

Alarm symbols can be removed by restart of control system (use the ON/OFF key to switch OFF, wait for 2 seconds, and then switch ON). After restart, the alarm symbol can appear again, if the reason for alarm still exists. If the alarm comes up again, don't restart the unit repeatedly, this will be of no benefit. Contact the service or Thermo King immediately.

#### SIMPLE TO SELECT

#### Setup




In Setup mode operator can escape Setup menu every time by pressing ON/OFF key. No changes will be applied. When any function is selected and any value is changed the change is saved to the memory in the same time.

When the ignition is switched OFF, display shows date and time for next 12 seconds. If preheater timer is ON, timer icon will be also visible for this period.

If driver panel is ON during Preheater Time, then no action is executed, preheater will not start automatically.


#### **SIMPLE TO VIEW AND DETERMINE**

## Display



1	Driver's area temperature set point*
2	Driver's area – airflow indicator (Front Box blower speed)
3	Air flow direction (air distribution damper position) indicator
4	Automatic mode of Front Box icon
5	Preheater icon
6	Preheater timer icon
7	Passenger's area temperature set point*
8	Passenger's area – airflow indicator (HVAC unit blower's speed)
9	SMOG icon
10	HVAC unit operating mode icon
11	Automatic mode of HVAC unit icon
12	Ambient temperature*

<sup>\*</sup> Depends on system configuration, driver panel or CANAIRE system setting.



# **THERMO KING**

# CANAIRE TM




## **CANAIRE Driver Panel**

Drivers Guide to Simple Operation



#### **SIMPLE TO START**

#### Description



ON/OFF button

Two possibilities when panel is powered:

Welcome screen with actual date and time

- ▶ driver panel is powered but out of operation
- ► To start press ON/OFF button.
- Standard operating screen.
- Automatic control of required temperature\*\* driver's area
- Driver's area temperature and air flow setting\*\*



- Set higher temperature: press RED button
- Set lower temperature press BLUE button\*\*.
- To set higher airflow for windscreen / driver's area press button with big fan, for less airflow press button with small fan.
- Air flow direction (Air distribution damper position)
  - To change air flow direction between windscreen and driver or to start defrost function.
- Preheater control buttons
- A HVAC operating mode button
  - · To change HVAC unit operating mode press button repeatedly.
- - SMOG button
    - To close both HVAC unit and Front Box fresh air dampers press
    - SMOG mode is terminated automatically after pre-set period.
    - To cancel press SMOG button again.
- Passenger's area temperature and air flow setting




- To set higher temperature press RED button, for lower temperature press BLUE button.
- · To set higher airflow press button with big fan, for less airflow press button with small fan.
- Automatic control of required temperature passenger's area

#### 10 LCD graphic display

#### SIMPLE TO SET

#### Preheater control



ON/OFF button

**(4)** 

- · Press for immediate start of preheater.
- Press again to stop preheater operation.



PREHEATER TIMER button

Press short – activate the timer. Press long (more than 3 seconds) - setting of Preheater Wake Up time:

Change ► HOURS

Press upper or lower button with fan symbol on LEFT SIDE repeatedly.

Next step ► MINUTES

· Press lower button with fan symbol on RIGHT SIDE.

Change ► MINUTES

Press upper or lower button with fan symbol on LEFT SIDE repeatedly.

Next step ► WORKING DAYS

Press lower button with fan symbol on RIGHT SIDE.

Change ► DAY

Press upper or lower button with fan symbol on LEFT SIDE as necessary. Selected working day is underlined.


Repeat steps 4 and 5 for every day.

Finish

Press ON/OFF button shortly or Auto passenger's area button.

#### **SIMPLE TO OPERATE**

#### Driver's area climate contro



ON/OFF button

2 Driver's area temperature setting\*\*



RED - higher temperature is required BLUE – lower temperature is required

Press Left RED or blue button for 3 seconds to set permanent heating or cooling of Front Box (whichever is required). Display will show Hi or Lo for driver's area. Press Left RED or BLUE button to cancel this function.

3

Manual air flow setting (air distribution blower speed)



BIG fan - more airflow SMALL fan - less airflow

4

Automatic control of required temperature \*\* driver's area

Air flow direction (air distribution damper position) setting



Press short – air to windscreen



Press long – DEFROST/DEMIST function

6

5



Air to driver's seat

SMOG button




To close both HVAC unit and Front Box\* fresh air dampers press button.

The SMOG mode is terminated automatically after pre-set period of time or press SMOG button again to cancel.

- \* Depends on system configuration.
- \*\* The compressor is always controlled by HVAC unit. If the cooling function is required by Front Box only, the compressor doesn't start.

#### **SIMPLE TO OPERATE**

### Passenger's area climate control




ON/OFF button

2 Passenger's area temperature setting

RED – higher temperature is required

BLUE – lower temperature is required

Manual air flow setting (HVAC unit blowers speed)



SMALL fan - less airflow



Automatic control of required temperature passenger's area

3



HVAC unit operating mode

Ventilation Heating\*

Cooling\*

AUTO mode\*



Reheat\* (TWO DROPS symbol if available and configured)

SMOG button



To close both HVAC unit and Front Box\* fresh air dampers press button.

The SMOG mode is terminated automatically after pre-set period of time or press SMOG button again to cancel.

F button\*